Central Helmand Drain Water Tests

The farmers in both Nad-i-Ali and Marja have been pumping water from the major drains for irrigation for several years, a practice questioned by various foreign irrigation experts over time. On January 8, 2003, R. B. Scott collected samples of drain water in Nad-i-Ali at the point where Main Drains #1 and #2 exit the irrigated area. The samples were delivered to the Colorado State University Soil, Water & Plant Testing Laboratory in Ft. Collins, Colorado on February 27, 2003 for testing. The results of the tests for each sample are attached.

Richard Bonner Scott

2598 Big Thompson Drake CO 80515

Date Received:

Date Reported

W1111 · I

02/27/2003 03/25/2003

S-SS-US JUX

COLORADO STATE UNIVERSITY

Soil, Water & Plant Testing Laboratory

Room A319, NESB

Fort Collins, CO 80523-1120

Phone: 970-491-5061 / Fax: 970-491-2930

Billing: 5319324

IRRIGATION WATER ANALYSIS

"Routine Package"

SOURCE: Afghanistan Drainage Ditch

Deep Drain # 1 1-8-03 Nad-I-Ali

| 0.9 | | | | | | | | |
|--------------------|------------------------------------|---------------------------------------|------------------|---------------------|-----------------------|---------------------|------------------------------------------------------------------------------|-----------------------------------------------------|
| Salinity Hazard | Pounds of Nitrate per acre foot | Boron Pounds of Sulfate per acre foot | Nitrate Nitrogen | Chloride Sulfate | Carbonate Bicarbonate | Sodium Potassium | Calcium Magnesium | Conductivity pH |
| Medium | 2.15 | 264 | 0.8 | 25.9 297 | <0.1 140.3 | 41.9 | mg/L meq/L 102.6 5.12 27 \$ 2.26 | Results Results 959 µmhos/cı 8.1 |
| Sodium Hazard | | | 0.06 | 0.73 6.18 | <0.1 2.30 | 1.82 | meq/L 5.12 | Results Results 959 μmhos/cm (E.C. x 1,000,000) 8.1 |
| Low | | | | | | | | ,000,000) |
| | | | | | | | | |

COMMENTS:

SAR

salt accumulation in the soil if a moderate amount of leaching occurs and soil drainage is adequate. This water is classified as medium salinity hazard irrigation water. It should not cause problems due to

Richard Bonner Scott

2598 Big Thompson Drake CO 80515

Date Reported Date Received:

03/25/2003

W1112 · I

02/27/2003

COLORADO STATE UNIVERSITY

Soil, Water & Plant Testing Laboratory

Room A319, NESB

Fort Collins, CO 80523-1120

Phone: 970-491-5061 / Fax: 970-491-2930

Billing: 5319324

IRRIGATION WATER ANALYSIS

"Routine Package"

SOURCE: Afghanistan Drainage Ditch Deep Drain # 2 I-8-03 Nad-I-Ali

| 1.7 | | | | | | | | | | | | | | | | |
|--------------------|---------------------------------|------------------------------------|-------|---------|---------|----------|-------------|-----------|-----------|--------|-----------|---------|-------|-----|----------------------------------|---------|
| Salinity Hazard | Pounds of Nitrate per acre foot | Pounds of Sulfate per acre foot | Boron | Nitrate | Sulfate | Chloride | Bicarbonate | Carbonate | Potassium | Sodium | Magnesium | Calcium | | pН | Conductivity | |
| Medium | 5.10 | 374 | 0.34 | 8.3 | 421 | 72.6 | 189 | <0.1 | 2 | 88.4 | 47.2 | 126.7 | mg/L | 7.4 | 1160 | Results |
| | | | 0.14 | 0.13 | 8.77 | 2.05 | 3.10 | <0.1 | 0.05 | 3.85 | 3.88 | 6.32 | meq/L | | 1160 μmhos/cm (E.C. x 1,000,000) | Results |
| Sodium Hazard | | | • | | | 'e ' | 8 | | 8 8 | | 8 8 | 3.5 | • | | E.C. x | |
| Low | | | | | | | | | | | | | | | 1,000,000 | |
| W | | | | | | | | | | | | | | | <u> </u> | |
| | | | | | | | | | | | | | | | | |

COMMENTS:

SAR

salt accumulation in the soil if a moderate amount of leaching occurs and soil drainage is adequate. This water is classified as medium salinity hazard irrigation water. It should not cause problems due to